



LENA CO2

(LENA UNI H47 PB +A)

VERSIONS

LENA CO212 (fixed)

DISTRIBUTION

CONTRACT general and RETAIL X'clusive collection

DESIGN

Pierre Wegnez

LABEL

MOBITEC labelled product

STRUCTURE

Composition of the seat: the structure is made up of solid beech assembled with glued tenons and mortises. The seat is fitted with Nosag springs.

Composition of the backrest: 10 mm-thick multiplex panel shaped in a press.

PADDING

Composition of the backrest: 2 successive layers: one 10 mm layer of 55 kg/m³ polyether foam and one 10 mm layer of 35 kg/m³ HR foam.

Composition of the seat: 2 successive layers: one 20 mm layer of 55 kg/m³ polyether foam and one 20 mm layer of 43 kg/m³ HR foam.

FEET

wood, available in beech, oak or walnut

GLIDERS

plastic (for tiles, natural stone, hard floors)

felt (for parquet flooring)

metal (for carpets)

option, at an extra charge, PTFE/Teflon (intensive use)

SPECIAL FEATURES

-

UPHOLSTERY

Cover	Fixed (cm)*	Loose fixed (cm)*	Loose cover (cm)*	Leather (m ²)*
Uni	130	-	-	1.6
Bj**	(a) -	(a) -	(a) -	(a) -
	(b) -	(b) -	(b) -	(b) -

* fabric or faux leather metres needs in cm on a roll width of 140cm, leather needs per m².

Leather and faux-leather upholsteries (always fixed)

** The first upholstery (a) is always used for the seat.

SECURITY

This product does not require any specific safety warnings, as it is safe to use under normal conditions.

DIMENSIONS (CM)



WEIGHT & PACKAGING

Product net weight: 7.4 Kgs

Number of pieces per carton: 1 pc(s)

Carton gross weight: 8.5 Kgs

Carton dimensions: L62 x W56 x H81,5cm