

The armrests are made of steel tube with a diameter of 15mm.

To allow for the attachment of the central legs, 2 intermediate crosspieces are added

Seat cushion with 4 successive layers: One layer of 20mm polyether foam with a density of $55 kg/m^3$, a layer of 20mm HR foam with a density of $43 kg/m^3$, a layer of

Back cushion with 3 successive layers: One layer of 10mm polyether foam with a

density of 55kg/m³, a layer of 10mm HR foam with a density of 35kg/m³ & one layer of

20mm HT foam with a density of 45kg/m³ & one layer of 100g/m² wadding

STRUCTURE

to the seat frame.
PADDING

Solid beech wood, glued joints.

HDF panels stapled and glued.

The seat is equipped with Nosag springs.

20mm HD foam with a density of 55kg/m³

360° rotating mechanism with automatic return system.

GLIDERS

Plastic

Felt

SPECIAL FEATURES

UPHOLSTERY

Cover	Fixed (cm)*	Loose fixed (cm)*	Loose cover (cm)*	Leather (m²)*
Uni	170	-	-	2.6
Bi**	(a) -	(a) -	(a) -	(a) -
	(b) -	(b) -	(b) -	(b) -

SAGA CO7 (SAGA PM22 UNI -A)

SAGA CO710 (fixed)

CONTRACT X'clusive collection RETAIL X'clusive collection

Mobitec labeled product

VERSIONS

DESIGN Pierre Wegnez

* fabric or faux leather metres needs in cm on a roll width of 140cm, leather needs per m².

Leather and faux-leather upholsteries (always fixed)


** The first upholstery (a) is always used for the seat.

SECURITY

This product does not require any specific safety warnings, as it is safe to use under normal conditions.

DIMENSIONS (CM)

FEET



WEIGHT & PACKAGING

Product net weight: 11.6 Kgs Number of pieces per carton: -Carton gross weight: 14 Kgs Carton dimensions: 630x590x875

mobitec